



Section 1 Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

JEM 9X resin - liquid pack UFI 6UY4-K2HC-T31Y-2213

1.2. Relevant identified uses of the substances or mixture and uses advised against

Component of encapsulating medium for power cable joints

1.3. Details of the supplier of the safety data sheet

Company information

Prysmian Cables and Systems Ltd Oak Road, Wrexham Industrial Estate, Wrexham LL13 9PH

Prysmian Cavi e Sistemi Italia S.r.l. Via Chiese 6 20126 – Milano Italy

Telephone

Email

Emergency telephone number

+44 (0) 1978 66 2375

sa.clpsd01gb@prysmiangroup.com

+44 (0) 1978 66 2216



Section 2 <u>Hazards identification</u>

This product is a mixture.

2.1. Classification of the substance or mixture

Classification according to Regulat	tion (EC) 1272/2008 (EU "CLP'	' Regulation):
Irritation of skin	Hazard Category 2	H315
Eye irritation	Hazard Category 2	H319
STOT: Single Exposure	Hazard Category 3	H335
Chronic aquatic toxicity	Hazard Category 1	H410

For full text of H statements see Section 16.

2.2. Label elements

Labelling according to Regulation (EC) 1272/2008 (EU "CLP" Regulation):

Signal Word:	Warning
GHS Pictogram	
Hazard Statement:	Causes skin irritation (H315) Causes serious eye irritation (H319) May cause respiratory irritation (H335) Very toxic to aquatic life with long lasting effects (H410)
Precautionary Statement (Prevention):	Avoid breathing dust/fume/gas/mist/vapour/spray (P261) Use only outdoors or in a well-ventilated area (P271) Avoid release to the environment (P273) Wear protective gloves/protective clothing/eye protection (P280)
Precautionary Statement (Response):	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing (P304 + P340) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. (P305 + P351 + P338) If eye irritation persists, get medical attention (P337 + P313) Collect spillage. (P391)
Precautionary Statement (Disposal):	Dispose of contents/container in accordance with local regulation (P501)
Remarks:	Testing to international protocols at independent test houses has shown that JEM liquid is not irritating to eyes and skin nor is it a skin sensitiser. The latter results coupled with the very low vapour pressure would also indicate that it is unlikely to be a respiratory irritant or sensitiser. (See Section 11)
2.3. Other hazards	

Polymerisation with heat evolution may occur in the presence of peroxides, reducing substances and/or heavy metal ions.



Section 3 <u>Composition / information on ingredients</u>

This product is a mixture.

Chemical Name	REACH Registration Number	CAS Number	EINECS/ ELINCS	Hazard Class/ Category/Statement	Concentration (w/w%)
Isodecylmethacrylate	01- 2118949925- 17-XXXX	29964- 84-9	249- 978-2	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 Aquatic Chronic 1; H410	97.9
2,2'-[(4- methylphenyl)imino] bisethanol	01- 2120791684- 40-XXXX	3077-12- 1	221-359- 1	Acute Tox. Oral 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335	1.2
Polyacrylate oligomer				Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE; H335	0.9

Section 4 First aid measures

4.1. Description of first aid measures

General information: Remove contaminated clothing immediately. Wash before re-use. Inhalation: Remove to fresh air, provide warmth and rest. If necessary, seek medical attention. Skin Contact: Wash contaminated skin with soap and water. If necessary, seek medical attention. Ingestion: Do not induce vomiting. Drink plenty of water and if necessary, seek medical attention. Eye Contact: Flush with large amounts of water. If necessary, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed.

No specific effects and/or symptoms have been reported or are known.

4.3. Indication of any immediate medical attention and special treatment needed.

No data available

Section 5 **Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media: Carbon dioxide, foam or dry powder.

5.2. Special hazards arising from the substance or mixture

Decomposes to give carbon dioxide, carbon monoxide and water. Cool endangered vessels with water

5.3. Advice for firefighters

Wear self-contained breathing apparatus.



Section 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

This material is not classified as hazardous to health, but exposure should be minimised. Remove personnel from areas of substantial spillage.

6.2. Environmental precautions

Prevent product from entering drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

Contain the spillage and absorb using earth, sand or other absorbent material. Particulate materials such as SAFFIRE (supplied by Zeppelin and Co) have been found to be particularly effective and may be incinerated for disposal purposes. The recommended disposal route is incineration. Alternatively, liquid spillages may be mopped up with the powder component of the resin pack. After curing, the residue may be disposed of as general waste.

6.4. Reference to other sections

See Section 13 for disposal information.

Section 7 <u>Handling and storage</u>

7.1. Precautions for safe handling

Use in a well ventilated area.

7.2. Conditions for safe storage, including any incompatibilities

Store in cool dry location. Avoid prolonged exposure to sunlight. Maximum recommended storage temperature is 40°C. There is no lower limit on storage temperature.

7.3. Specific end use(s)

See Section 1.2

Section 8 Exposure controls / personal protection

8.1. Control parameters

No occupational exposure limits have been assigned to this material.

8.2. Exposure controls

Observe normal safety and hygiene standards Wear suitable overalls and gloves (nitrile or neoprene)



MATERIAL SAFETY DATA SHEET JEM 9X RESIN PACK

Section 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Pale Yellow
Odour:	Slight ester like
Odour threshold:	No data available
Melting point:	Not applicable (liquid)
Freezing point:	No data available
Boiling point:	>250°C
Flammability:	No data available
Explosive limits:	No data available
Lower explosion limit:	No data available
Upper explosion limit:	No data available
Flash point:	115°C (closed cup)
Auto-ignition temperature	No data available
Decomposition temperature	No data available
pH:	Not applicable
Viscosity, kinematic:	No data available
Solubility:	Insoluble in water
Partition coefficient n-octanol/water: (Log K_{ow}):	4.92
Vapour pressure:	4.8 Pa @ 25°C
Vapour pressure at 50°C	No data available
Density:	0.88 g/cm³ @ 20°C
Relative vapour density at 20°C	>1 (relative to air)
Particle characteristics	Does not contain nanomaterials

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available.

9.2.2. Other safety characteristics

No additional information available.

Section 10 Stability and reactivity

10.1. Reactivity

Not reactive to materials commonly used in the transportation, handling and storage of industrial materials.

10.2. Chemical stability

Stable at room temperature and temperatures up to 60°C

10.3. Possibility of hazardous reactions

Will polymerise exothermically when mixed with radical forming substances such as peroxides. Maximum exothermic temperature is 55°C.



10.4. Conditions to avoid

Avoid prolonged exposure to direct sunlight.

10.5. Incompatible materials

Strong oxidising and reducing agents.

10.6. Hazardous decomposition products

None when used as directed.

Section 11 <u>Toxicological information</u>

11.1. Information on toxilogical effects

Acute toxicity	No data available
Skin corrosion / irritation	Skin irritancy has been investigated (for isodecyl methacrylate) using
	OECD Test Method 404. Single 4 hour application to rabbit skin
	produced minimal signs of irritation.
Eye corrosion / irritation	Eye irritancy has been investigated (for isodecyl methacrylate) using
	OECD Test Method 405. Single application to rabbit eye produced
	minimal conjunctival irritation.
Sensitisation data	Skin sensitisation has been investigated (for the liquid blend) using
	OECD Test Method 406. No evidence of skin sensitisation was
	detected.
	There are no known reports of respiratory sensitisation
Repeated dose toxicity	No data available
Carcinogenicity	No data available
Mutagenicity	No data available
Toxicity for reproduction	No data available

Section 12 Ecological information

12.1. Toxicity

No data available

12.2. Persistence and biodegradability

No data available

12.3. Bioaccumative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available



12.6. Other adverse effects

No data available

Section 13 Disposal considerations

13.1. Waste treatment methods

Product: Waste incineration with the approval of the responsible local authority

Packaging: Plastic containers may be disposed of by approved landfill if contaminated by cured material. Uncontaminated packaging (i.e. the external plastic container for two part kits) may be re-granulated for further use.

Section 14 Transport information

14.1. UN Number

Not regulated under transport regulation.

14.2. UN proper shipping name

Not regulated under transport regulation.

14.3. Transport hazard class(es)

Not regulated under transport regulation.

14.4. Packing group

Not regulated under transport regulation.

14.5. Environmental hazards

Not regulated under transport regulation.

14.6. Special precautions for user

None identified

14.7. Maritime transport in bulk according to IMO instruments

No data available



Section 15 Regulatory information

This Safety Data Sheet has been prepared in accordance with the requirements of regulation (EC) No 1907/2006 as amended.

The Workplace exposure Limit given in section 8 has been taken from the UK HSE document: EH40/2005 Workplace Exposure Limits as amended.

Relevant regulations:

Regulation (EC) 1272/2008 (EU 'CLP' regulation) Regulation (EC) 790/2009 First Adaptation to Technical Progress (ATP) for CLP regulation

15.1. Safety, health and environmental regulations specific for the substance or mixture

None applicable

15.2. Chemical safety assessment

A chemical safety assessment has not been undertaken for this mixture

Section 16 Other information

Risk Phrases / Hazard Statements:

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H410 Very toxic to aquatic life with long lasting effects

This SDS (version 5.0) is the 5th version of this SDS for this product.

This information is believed to be accurate and represents the best information available to the company at this time. This information is provided as a guide to the hazards and respective safety precautions relevant to this product. This SDS does not represent any guarantee of performance or specification. The information relates only to the product specified and may not be suitable for combinations with other materials or in processes other than those specifically described herein.